



LAWRENCE
LIVERMORE
NATIONAL
LABORATORY

Measurement and Prediction of Water Outgassing from TR55 Silicone by the Isoconversional Technique

L. N. Dinh, M. A. Schildbach, A. K. Burnham, R. S. Maxwell, B. Balazs

May 10, 2006

North American Thermal Analysis Society 2006 conference
Bowling Green, KY, United States
August 5, 2006 through August 10, 2006

Disclaimer

This document was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the University of California nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the University of California, and shall not be used for advertising or product endorsement purposes.



Measurement and Prediction of Water Outgassing from TR55 Silicone by The Isoconversional Technique

**L. N. Dinh, M. A. Schildbach, A. K. Burnham,
R. S. Maxwell, B. Balazs**

**North American Thermal Analysis Society
34th Annual Conference
August 6-9, 2006
Bowling Green, Kentucky**

This work was performed under the auspices of the U.S. Department of Energy by the University of California, Lawrence Livermore National Laboratory under contract No. W-7405-ENG-48



Objective

- To measure the H₂O outgassing kinetics of TR55 silicone after a few hours of vacuum pumping.
- To make H₂O outgassing kinetic predictions for TR55 at low temperatures in a vacuum/dry environment.


Composition of TR55

A Dow Corning commercial formulation:

70% polysiloxane gum and 30% fumed silica filler.




Silica filler surfaces have a high affinity for moisture and H₂O outgassing from silicone involve multiple energy barriers




Our approach utilized linear heating technique to characterize the kinetics of the H₂O desorption



- The steps:**
- 1) Load sample onto the manipulator in the TPD chamber
 - 2) Raise the sample's temperature linearly
 - 3) Obtain the TPD spectra at different heating rates
 - 4) Use isoconversional technique for kinetic extraction and outgassing prediction



There is approximately 0.23 wt% of potential moisture left in TR55 after a few hours of vacuum pumping



However, only a fraction of the moisture recorded by the broad TPD spectrum contributes to outgassing in a dry environment at lower temperatures

Isoconversional technique is currently employed for model-independent kinetics extraction and outgassing prediction



• Let α represent the fractional release of gas (or fraction reacted), then the heterogeneous solid-state reaction that releases gas is written as:¹

• With $\beta = dT/dt$: $\frac{d\alpha}{dt} = k \cdot f(\alpha) = \nu e^{-\frac{E}{RT}} \cdot f(\alpha)$ or $\frac{d\alpha}{dT} = \left[\frac{\nu}{\beta} \cdot f(\alpha) \right] \cdot e^{-\frac{E}{RT}}$

$$\ln\left(\frac{d\alpha}{dT}\right) = -\frac{E}{RT} + \ln\{\nu f(\alpha)\} \quad \text{[Friedman method]}$$

Both E and $\{\nu f(\alpha)\}$ can be obtained from the Friedman method².



The time prediction (t_α) of how long it takes for a specific conversion α to be reached at the isothermal temperature T_o can be obtained from the rate equation by integration:³

$$t_\alpha \equiv \int_0^{t_\alpha} dt = \int_0^\alpha \frac{d\alpha}{[\nu f(\alpha)] e^{-\frac{E}{RT_o}}}$$

¹ A. K. Galwey and M. E. Brown, *Thermal Decomposition of Ionic Solids*, Elsevier, New York, 1999.



² H. L. Friedman, *J. Polym. Sci.* 50, 183 (1965).

³ L. N. Dinh, A. K. Burnham, M. A. Schildbach, R. S. Maxwell, B. Balazs, W. McLean II, *Measurement and Prediction of H₂O Outgassing Kinetics from Silica-Filled Polydimethylsiloxane TR55 and S5370*, submitted to Polymer Degradation and Stability.



- Isoconversional analysis indicates that the energy barrier for H₂O release from TR55 is an increasing function of the fractional H₂O release.
- This can be interpreted as the release of H₂O from physisorbed water, then chemisorbed water with decreasing OH density from the surfaces of embedded silica particles. At $\alpha > 0.5$, some of the moisture released may be due to the decomposition of TR55.


Comparisons between isoconversional kinetic predictions and isothermal long-term H₂O outgassing from TR55



- The shapes of the kinetic prediction lines resemble that of the actual isothermal outgassing profiles.
- Within a 35 % error band around the Friedman prediction lines, there is a fair agreement between models and experiments.

— Isothermal data
— Isoconversion prediction
— 35% error band around Friedman

Prediction of moisture outgassing from TR55 at 22 °C



Only 0.03 wt% of H₂O out of a total of 0.23 wt% recorded by the TPD spectrum contributes to outgassing in a dry environment at room temperature



SUMMARY

- The technique of isoconversional thermal analysis has been employed in the kinetic extraction and prediction of H₂O outgassing from TR55.
- The energy barriers for H₂O release from TR55 increase with increasing fractional H₂O release. At low temperatures, the H₂O outgassing process from TR55 can be interpreted as the release of H₂O from physisorbed water, then chemisorbed water with decreasing OH density from the surfaces of the silica filler.
- Model-independent predictions of H₂O outgassing based on the measured kinetics agree fairly well with actual isothermal outgassing. This agreement confirms the suitability of the isoconversional technique in the kinetic measurement and prediction of H₂O outgassing from silicones.